



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

21

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/726,260	12/02/2003	Herbert Meyerle	S118.12-0003	3376

27367 7590 05/30/2006

WESTMAN CHAMPLIN & KELLY, P.A.
SUITE 1400
900 SECOND AVENUE SOUTH
MINNEAPOLIS, MN 55402-3319

EXAMINER

BOSWELL, CHRISTOPHER J

ART UNIT	PAPER NUMBER
----------	--------------

3676

DATE MAILED: 05/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/726,260	Applicant(s) MEYERLE, HERBERT	
	Examiner Christopher Boswell	Art Unit 3676	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 and 7-15 is/are pending in the application.
- 4a) Of the above claim(s) 12 and 13 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 7-11, 14 and 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 June 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>3/30/06</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION***Drawings***

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the deactivation member, the battery, the transponder and the protection means must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-4 and 7-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the transponder" in lines 19-20. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-9 and 12-15 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent Number 6,374,653 to Gokcebay et al.

Gokcebay et al. disclose a locking cylinder for a door having a locking cylinder body (20), a knob (196) for the outside of the door to be locked, a deactivation member (36) which is able to deactivate the knob so that opening of the door using the knob is not possible, the deactivation member is able to be electronically actuated (column 12, lines 59-67), and an access control means (43) in the locking cylinder body which in response to an authorized transponder signal (signal from 94) permits opening of the door by making it possible for a user to actuate the

Art Unit: 3676

knob from outside of the door in order to open it, wherein the access control means comprises means for exchanging a wireless signal with a transponder (90 and 94) and a verification means for verifying whether or not the transponder is authorized (figure 10), wherein the access control means comprising electronic (43) and mechanical (conventional pin tumblers; figure 6c) elements is entirely located within the locking cylinder body, and a battery (41) which is able to energize the access control means upon response of a request signal from the transponder, as in claim 1.

Gokcebay et al. also disclose the lock body is adapted and sized to be introduced into a door (column 12, lines 35-36; where the area to which the cylinder to be secured could be a door), as in claim 2, and where the deactivation member is adapted to deactivate the knob such that idle movement of the knob is possible or blocked (column 12, lines 59-67), as in claims 3 and 4.

Gokcebay et al. further disclose the access control means comprises a ferrite bar antenna (28) which is also located within the cylindrical lock body (figure 4), as in claim 7, as well as the access control means is adapted to communicate with a transponder (94) by means of an alternating magnetic field, as in claim 8, and protection means (22) for protecting against drilling or tampering with the lock, as in claim 9.

Gokcebay et al. also disclose a door lock system having a locking cylinder having a lock body (20), a knob (196) for the outside of the door to be locked, a deactivation member (36) which is able to deactivate the knob so that opening of the door using the knob is not possible, the deactivation member is able to be electronically actuated (column 12, lines 59-67), and an

Art Unit: 3676

access control means (43) permits opening of the door by making it possible for a user to actuate the knob from outside of the door in order to open it, wherein the access control means comprising electronic (43) and mechanical (conventional pin tumblers; figure 6c) elements is entirely located within the locking cylinder body (figure 4), and a transponder (94) having means for exchanging a wireless data signal (via 90 and 94) with the access control means of the lock, wherein the access control means comprises means for exchanging a wireless signal with the transponder (94) and a verification means (figure 10) for verifying whether or not the transponder is authorized, and a battery (41) for energizing the access control means upon response of a request signal from the transponder, as in claim 14.

Gokcebay et al. further disclose a method for securing a locking cylinder for a door by providing a lock body being of generally cylindrical shape and being capable of being introduced into a door (20), providing a knob for the outside of the door to be locked, the knob being able to be actuated from the outside of the door in order to open the door from the outside (196), providing a deactivation member (36) which is able to deactivate the knob so that it cannot be actuated in order to open the door from the outside, providing an access control means (43) which in response to a signal of an authorized transponder (94) permits opening of the door by making it possible for the user to actuate the knob from the outside of the door in order to open it, wherein the access control means comprises means for exchanging wireless signal with the transponder (via elements 90 and 94) and a verification means for verifying whether or not the transponder is authorized (figure 10), providing the access control means entirely within the cylindrical lock body (figure 4), the access control means comprising electronic (43) and

Art Unit: 3676

mechanical elements (conventional pin tumblers), providing a battery (41) for energizing the access control means upon response of a request signal from the transponder, as in claim 15.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gokcebay et al., as applied above, in view of U.S. Patent Number 5,447,047 to Lin.

Gokcebay et al. discloses the invention substantially as claimed. Gokcebay et al. discloses an engagement means (200) on the distal end of the lock cylinder. However, Gokcebay et al. does not disclose an engagement means having a drive mechanism and a take-off mechanism. Lin teaches an engagement means (5) for transmitting a movement as well as corresponding forces and/or moments, the engagement means having a drive mechanism (35) and a take-off mechanism (51), wherein the drive mechanism and the take-off mechanism are coupled a coupling element (351) in such a manner that in a decoupled state a movement of the drive mechanism causes a movement of the coupling element, wherein the movement of the coupling element is not sufficient for transmitting a movement of the drive mechanism to the take-off mechanism so that transmission of movement is allowed in the coupled state but not in the decoupled state (column 3, lines 13-27), as in claim 10, wherein the drive mechanism and take off mechanism are coupled via the coupling element in such a manner that in the decoupled

Art Unit: 3676

state a rotational movement of the drive mechanism causes an essentially rotational movement (column 3, lines 13-27) of the coupling element and that in a coupled state a rotational movement of the drive mechanism essentially causes a rotational movement of the take-off mechanism, as in claim 11, in the same field of endeavor for the purpose of transmitting torque from the lock cylinder to a drive shaft of a handle assembly. It would have been obvious to one with ordinary skill in the art at the time the invention was made to replace the drive mechanism of Gokcebay et al. with the engagement means, as taught by Lin in order to transmit torque from the lock cylinder to a drive shaft of a handle assembly.

Response to Arguments

Applicant's arguments with respect to claims 1-11 and 14-15 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents are cited to further show the state of the art with respect to locking cylinders with internal access control means:

U.S. Patent Number 6,826,935 to Gokcebay et al., U.S. Patent Number 6,000,609 to Gokcebay et al., U.S. Patent Number 5,552,777 to Gokcebay et al., U.S. Patent Number 5,542,274 to Thordmark et al., U.S. Patent Number 4,848,115 to Clarkson et al.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Boswell whose telephone number is (571) 272-7054.

The examiner can normally be reached on 9:00 - 4:00 M-F.


Art Unit: 3676

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on (571) 272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Christopher Boswell
Examiner
Art Unit 3676

CJB 
May 25, 2006